

## CONTENTS

### Volume 41

#### No. 1

##### Review Letter

###### DNA viruses and human cancer

S.J. Fey and P. Mose Larsen (Aarhus, Denmark)

1-19

##### Research Letters

###### Diethyglyoxal bis(guanyldiazide): a novel highly potent inhibitor of S-adenosylmethionine decarboxylase with promising properties for potential chemotherapeutic use

H. Elo, I. Mutikainen, L. Alhonen-Hongisto, R. Laine and J. Jänne (Helsinki, Finland)

21-30

###### Detection of haematoporphyrin derivative and haematoporphyrin excited states in cell environments

T.G. Truscott, A.J. McLean, A.M.R. Phillips and W.S. Foulds (Paisley and Glasgow, Scotland)

31-35

###### Toxicity and chromosomal damage in fetal Syrian hamster and human pulmonary epithelial cells

J. Wen, M. Emura, M. Riebe and U. Mohr (Hannover, F.R.G.)

37-43

###### Coffee drinking and bladder cancer

G. Ciccone and P. Vineis (Torino, Italy)

45-52

###### Glutathione and enzymes related to free radical metabolism in liver of rats fed a choline-devoid low-methionine diet

A. Ghoshal, M.W. Roomi, M. Ahluwalia, W. Simmonds, T.H. Rushmore, E. Farber and A.K. Ghoshal (Toronto, Canada)

53-62

###### Sensitivity of HRA/Skh hairless mice to initiation/promotion of skin tumors by chemical treatment

H.H. Steinell and R.S.U. Baker (Sydney, Australia)

63-68

###### Alterations in histone phosphorylation in HL-60 cells specific to monocytic differentiation

D. Gayle DeBord and C.S. Baxter (Cincinnati, OH)

69-74

###### Tumor induction in mice administered neonatally with 2-amino-6-methyldipyrido[1,2-a:3',2'-d]imidazole or 2-amino-dipyrido[1,2-a:3',2'-d]imidazole

K. Fujii, A. Sakai, K.-I. Nomoto and K. Nakamura (Ibaraki and Gunma, Japan)

75-80

###### Alteration in the behavior of a colon carcinoma cell line by extracellular matrix components

D. Boyd, G. Florent, K. Childress-Fields and M.G. Brattain (Houston, TX)

81-90

###### Trace element content in drinking water of nasopharyngeal carcinoma patients

X. Ling-Wei, L. Shao-Xian, H. Ji-Wen, Z. Xiao-Juan and L. Jian (Hunan, People's Republic of China)

91-97

###### Comparative carcinogenicity of the food pyrolysis product 2-amino-5-phenylpyridine, and the known human carcinogen, 4-aminobiphenyl, in the neonatal B6C3F<sub>1</sub> mouse

K.L. Dooley, J.F.C. Stavenuiter, J.C. Westra and F.F. Kadlubar (Jefferson, AR and Bilthoven and Amsterdam, The Netherlands)

99-103

- Treatment of experimental ovarian carcinoma with monthly injection of the agonist D-TRP-6-LH-RH: a preliminary report  
P.M. Pour, T.W. Redding, J.I. Paz-Bouza and A.V. Schally (Omaha, NE and New Orleans, LA) 105-110
- Dietary fibre and the mouse colon: its influence on luminal pH, reducing activity and bile acid binding  
N.J. Temple and T.K. Basu (Edmonton, Canada) 111-118
- Retinoic binding in melanomas of the eye and in normal choroid  
F. Daxecker, Ch. Marth and G. Daxenbichler (Innsbruck, Austria) 119-122

## No. 2.

### Review Letter

#### Future trends in cervical cancer

- P. Mose Larsen, M. Vetner, K. Hansen and S.J. Fey (Aarhus, Holstebro and Herning, Denmark) 123-137

### Research Letters

- Strain comparison of systemic *N*-nitrosodimethylamine carcinogenesis in BALB/c, SENCAR and CD-1 mice  
P.T. Strickland, W. Lijinsky, B. Thomas and R.M. Kovatch (Baltimore, Frederick and Jhamsville, MD) 139-146
- Differential expression of cellular oncogenes during rat liver development  
X.-K. Zhang, Z. Wang, A. Lee, D.-P. Huang and J.-F. Chiu (Burlington, VT) 147-155
- Cellular pharmacology of *N,N,N'*-triethylene thiophosphoramidate  
B. Miller, T. Tenenholz, M.J. Egorin, G. Sosnovsky, N.U. Maheswara Rao and P.L. Gutierrez (Baltimore, MD and Milwaukee, WI) 157-168
- The role of oxygen-derived free radicals in the cytotoxicity of doxorubicin in multidrug resistant and sensitive human ovarian cancer cells  
A. Cervantes, H.M. Pinedo, J. Lankelma and G.J. Schuurhuis (Amsterdam, Netherlands) 169-177
- Inhibition of dietary fat-promoted development of (pre)neoplastic lesions in exocrine pancreas of rats and hamsters by supplemental vitamins A, C and E  
R.A. Woutersen and A. van Garderen-Hoetmer (Zeist, The Netherlands) 179-189
- DNA methylating capacity in metastatic variants of a human melanoma cell line  
R.G. Liteplo and S. Munro (Ottawa, Canada) 191-198
- Carcinogenesis by nitroso-2-hydroxyethylurea in splenectomized hamsters  
W. Lijinsky, R.M. Kovatch and B.J. Thomas (Frederick, MD) 199-202
- Hemin dependent morphological maturation and endogenous porphyrin synthesis by K562 leukemic cells  
Z. Malik, S.D. Chitayat and Y. Langzam (Ramat-Gan, Israel) 203-209
- Induction of hyperplastic liver nodules in Wistar and MRC-Wistar rats by phenobarbital and the liver carcinogens acetoxime, 1-nitroso-5,6-dihydroouracil and 3-nitroso-2-oxazolidinone  
S.S. Mirvish, R.S. Markin, T.A. Lawson and J.G. Nickols (Omaha, NE) 211-216
- Effect of recombinant human tumor necrosis factor on human nasopharyngeal carcinoma cell line in vitro  
D.K.K. Ha and W.H. Lau (Hong Kong) 217-224
- Sensitivity of a human oral carcinoma cell line to retinoic acid  
R. Sarkar and S.K. Das (Calcutta, India) 225-233
- Dependent response of chicken embryo fibroblasts and hepatocytes to the interference of certain antioxidants on the binding of [ $G^3H$ ]benzo[a]-pyrene to DNA  
F.S. Liotti, C. Pelliccia and F. Pezzetti (Perugia, Italy) 235-242
- ANNOUNCEMENTS 243-244

## No. 3

## Research Letters

|  |         |
|--|---------|
| Lack of initiating and promoting activity of thiourea in rat liver foci bioassay<br>D. Oesterle and E. Deml (Neuherberg, F.R.G.)   | 245-249 |
| Dietary iron enhances the tumor rate in dimethylhydrazine-induced colon carcinogenesis in mice<br>C.P. Siegers, D. Bumann, G. Baretton and M. Younes (Lübeck, F.R.G.)  | 251-256 |
| Nitrosodimethylamine metabolism in rat ovaries. Interactions of its metabolites with nucleic acids and proteins<br>M.I. Díaz Gómez, D. Tamayo and J.A. Castro (Buenos Aires, Argentina)  | 257-263 |
| Effects of treatment with embryonic and uterine tissue homogenates on Lewis lung carcinoma development<br>P.M. Biava, A. Fiorito, C. Negro and M. Mariani (Milan and Trieste, Italy)   | 265-270 |
| Synthesis and cytotoxic effects of hydroxymethyl-3-pyridyl- and 2-chloro-5-pyridyltriazene derivatives<br>K.Ch. Grancharov, M. Koch, M. Volm and G.F. Kolar (Heidelberg, F.R.G.)   | 271-279 |
| Activation of a ribosomal protein S6 kinase during the 4-dimethylaminoazobenzene-induced rat hepatocarcinogenesis<br>R. Comolli, P. Alberti and M. Frigerio (Milan, Italy)   | 281-285 |
| Acute and chronic effects of diacetoxyscirpenol on cell replication in rat esophagus and stomach<br>V.M. Craddock, R.J. Hill and A.R. Henderson (Surrey, U.K.)   | 287-294 |
| The reduction of intracellular polyamines by sequential inhibition of the synthesis of decarboxylated S-adenosylmethionine: effects on rat leukemia<br>A.C.M. Kroes, A.A.M. Ermens, J. Lindemans, M. Schoester and J. Abels (Rotterdam, The Netherlands) | 295-305 |
| Isolation and identification of a tumour reducing component from mistletoe extract (Isclador)<br>G. Kuttan, D.M. Vasudevan and R. Kuttan (Kerala, India)   | 307-314 |
| Use of a tetrazolium based colorimetric assay in assessing photoradiation therapy in vitro<br>A.P. McHale and L. McHale (Dublin, Ireland)  | 315-321 |
| Adaptation of the rapid automated tetrazolium dye based (MTT) assay for chemosensitivity testing in childhood leukemia<br>R. Pieters, D.R. Huismans, A. Leyva and A.J.P. Veerman (Amsterdam, The Netherlands)  | 323-332 |
| Inhibition of hepatoma cell growth by a steroid anti-hormone<br>S. Chasserot-Golaz and G. Beck (Strasbourg, France)  | 333-343 |
| DNA adduct formation of the carcinogen 2-amino-3-methylimidazo[4,5-f]quinoline in target tissues of the F-344 rat<br>H.A.J. Schut, K.L. Putman and K. Randerath (Toledo, OH and Houston, TX)   | 345-352 |
| Subject Index - Volume 41  | 363-357 |
| Author Index - Volume 41   | 359-360 |
| Contents - Volume 41   | 361-363 |